



# PRESS RELEASE - PARIS - OCTOBER 6, 2020



Until October 8, 2020 at 5:00 US Eastern Time I 10:00 London Time I 11:00 Paris time

# Double jeopardy for ecologically rare birds and terrestrial mammals

Common assumptions notwithstanding, rare species can play unique and essential ecological roles. After studying two databases that together cover all known terrestrial mammals and birds worldwide, scientists from the CNRS, the Foundation for Biodiversity Research (FRB), Université Grenoble Alpes, and the University of Montpellier<sup>1</sup> have demonstrated that, though these species are found on all continents, they are more threatened by human pressures than ecologically common species and will also be more impacted by future climate change. Thus they are in double jeopardy. The researchers' findings, published in *Nature Communications* (October 8, 2020), show that conservation programmes must account for the ecological rarity of species.

It has long been thought that rare species contribute little to the functioning of ecosystems. Yet recent studies have discredited that idea: rarity is a matter not only of the abundance or geographical range of a species, but also of the distinctiveness of its ecological functions. Because these functionally distinct species are irreplaceable, it is essential we understand their ecological characteristics, map their distributions, and evaluate how vulnerable they are to current and future threats.

Using two databases that collect information on the world's terrestrial mammals (4,654 species) and birds (9,287 species), scientists from the FRB's Centre de Synthèse et d'Analyse de la Biodiversité (CESAB), CNRS research laboratories, Université Grenoble Alpes, the University of Montpellier, and partner institutes divided the earth's surface into 50 × 50 km squares and determined the number of ecologically rare species within each. They showed that ecological rarity among mammals is concentrated in the tropics and the southern hemisphere, with peaks on Indonesian islands, in Madagascar, and in Costa Rica. Species concerned are mostly nocturnal frugivores, like bats and lemurs, and insectivores, such as small rodents. Ecologically rare bird species are mainly found in tropical and subtropical mountainous regions, especially in New Guinea, Indonesia, the Andes, and Central America. The birds in question are essentially frugivorous or nectarivorous, hummingbirds being an example. For birds and terrestrial mammals alike, islands are hotspots of ecological rarity.

The researchers also ranked these species according to their IUCN Red List status<sup>2</sup> and found they made up the bulk of the threatened species categories. That is, ecologically rare mammals account for 71% of Red List threatened species (versus 2% for ecologically common mammals); and ecologically rare birds, 44.2% (versus 0.5% for ecologically common birds). For each species, they determined (i) anthropogenic pressure exerted; (ii) human development indexes (HDIs) of host countries; and (iii) exposure to armed conflicts. The last two of these elements shape conservation policies. The scientists observed that human activity had a greater impact on ecologically rare mammals and birds than on more common species, and that these rare species were found in countries of every kind of profile, irrespective of HDI or the prevalence of warfare.<sup>3</sup> They used models to demonstrate that ecologically rare species will be the greatest victims of climate change, many of them facing extinction within 40 years.

This profiling of ecologically rare species makes it clear that current conservation efforts, even in zones already protected, are insufficient. Conservation strategies still too often ignore functional distinctiveness and focus instead on population sizes. But it is essential to take this distinctiveness into account, letting this knowledge guide steps taken to protect these rare species. As they are necessary for healthy ecosystems, a true paradigm shift in conservation policy is needed to ensure their survival.

**For more information,** here are snapshots of ecologically rare species: <u>https://www.cnrs.fr/sites/default/files/press\_info/2020-</u> <u>10/Exemples\_Especes\_EcoRare\_VANG.pdf</u>

## Notes

<sup>1</sup>These scientists are affiliated with the following research units: the Centre for Marine Biodiversity, Exploitation and Conservation (CNRS / University of Montpellier / IRD / IFREMER), the Centre d'Écologie Fonctionnelle et Évolutive (CNRS / University of Montpellier / Paul Valéry University / EPHE / IRD), the Laboratoire d'Écologie Alpine (CNRS / Université Grenoble Alpes / Université Savoie Mont Blanc), and the Centre de Synthèse et d'Analyse sur la Biodiversité (CESAB) at the FRB. This research is the product of <u>FREE</u>, a CESAB team dedicated to the coherent integration of biodiversity data. FREE is jointly funded by the FRB and EDF.

<sup>2</sup>The International Union for Conservation of Nature (IUCN) is a leading international NGO focused on nature conservation. It evaluates the risk of extinction faced by different species, assigning each to a particular category (e.g., 'Least Concern', 'Near Threatened', 'Vulnerable', 'Endangered', or 'Extinct').

<sup>3</sup>For example, the Philippines, where HDI is low and armed conflicts prevalent, are a hive for ecologically rare species (19 terrestrial mammals and 15 birds). Yet Australia, where HDI is high and armed conflict rare, is also home to many ecologically rare species (10 terrestrial mammals and 10 birds).

### **Bibliography**

**Global distribution and conservation status of ecologically rare mammal and bird species.** Nicolas Loiseau\*, Nicolas Mouquet\*, Nicolas Casajus, Matthias Grenié, Maya Gueguen, Brian Maitner, David Mouillot, Annette Ostling, Julien Renaud, Caroline Tucker, Laure Velez, Wilfried Thuiller, Cyrille Violle. *Nature communications*, October 8, 2020. DOI : 10.1038/s41467-020-18779-w. \* co-first authors.

### Contacts

CNRS researcher, Scientific Director of the FRB's Cesab | Nicolas Mouquet | <u>nicolas.mouquet@cnrs.fr</u> Post-doctoral researcher | Nicolas Loiseau | <u>nicolas.loiseau@umontpellier.fr</u> Press CNRS | Alexiane Agullo | T +33 1 44 96 43 90 | <u>alexiane.agullo@cnrs.fr</u>